

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	@ad<"20031029" and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail)) with (user adj (preference or profile or schedule)) same ((trusted or non-trusted) near3 (application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 14:59
L3	0	@ad<"20031029" and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail)) with (user adj (preference or profile or schedule)) and ((trusted or non-trusted) near3 (application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:00
L4	1	@ad<"20031029" and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail)) same (user adj (preference or profile or schedule)) and ((trusted or non-trusted) near3 (application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:01
L5	30	@ad<"20031029" and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:13

L6	2	709/203.ccls. and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:15
L7	9	709/206.ccls. and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:16
L8	2	709/217.ccls. and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:17
L9	3	709/219.ccls. and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:17
L10	4	709/224.ccls. and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:18

L11	3	709"/\$ and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:18
L12	31	"709"/\$ and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:19
L13	16	"707"/\$ and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:22
L14	13	"705"/\$ and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:22
L15	8	"715"/\$ and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:23

L16	7	"455"/\$ and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:23
L17	6	"379"/\$ and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:24
L18	2	"370"/\$ and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or identifier)) with (user adj (preference or profile or schedule)) with (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/22 15:24
S1	14	@ad<"20031029" and (determin\$3 or select\$3 or choos\$3) near3 (identity or email or e-mail or address) with (application or means) with (user adj (preference or profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 11:55
S2	25	@ad<"20031029" and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or address)) with (application or means) with (user adj (preference or profile or schedule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 11:57
S3	306	(Quang near3 Nguyen) and "709"/\$ and (time or schedule or email or e-mail or identity or application or (user adj (preference or profile)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 12:00

S4	156	@ad< "20031029" and (Quang near3 Nguyen) and "709"/\$ and (time or schedule or email or e-mail or identity or application or (user adj (preference or profile)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 12:00
S5	82	@ad< "20031029" and (Quang near3 Nguyen) and "709"/\$ and (select \$3 or identif\$3 or choos \$3) same (schedule or email or e-mail or identity or application or (user adj (preference or profile)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 12:02
S6	45	@ad< "20031029" and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or address)) with (user adj (preference or profile or schedule)) same (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 13:59
S7	1	@ad< "20031029" and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail or address)) with (user adj (preference or profile or schedule)) same (provid \$3 with application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 14:06
S8	36	@ad< "20031029" and (determin\$3 or select\$3 or choos\$3) with ((user or client) near3 (identity or email or e-mail)) with (user adj (preference or profile or schedule)) same (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/17 14:07

3/22/2011 3:25:34 PM

C:\Documents and Settings\nguyen4\My Documents\EAST\Workspaces  
 \10695700\_SelectUserIdentityNew.wsp